



3400UB0-1

TUESDAY, 17 MAY 2022 – MORNING

**BIOLOGY – Unit 2:
Variation, Homeostasis and
Micro-organisms**

HIGHER TIER

**1 hour 45 minutes plus your additional
time allowance**

Surname _____

First name(s) _____

Centre Number _____

Candidate Number 0 _____

ADDITIONAL MATERIALS

In addition to this paper you may require a calculator and a ruler.

ITEMS INCLUDED WITH QUESTION PAPER

A separate Diagram Booklet.

The Diagram Booklet MUST be handed in to the invigilators and sent for marking.

INSTRUCTIONS TO CANDIDATES

Use black ink, black ball-point pen or your usual method.

Write your name, centre number and candidate number in the spaces provided on the front cover.

Answer ALL questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional pages at the back of the booklet, taking care to number the question(s) correctly.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

Question 7(b) is a quality of extended response (QER) question where your writing skills will be assessed.

(Turn over)

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	9	
2.	11	
3.	8	
4.	9	
5.	7	
6.	9	
7.	9	
8.	11	
9.	7	
Total	80	

Answer ALL questions.

1 Biological control is used to reduce the numbers of a pest population through the introduction of another species. It has been used with varying success since the 19th century.

(a)(i) State TWO advantages of this method of control. [2 marks]

Advantage 1

continue on next page

(Turn over)

1 (a)(i) (continued)
Advantage 2

(Turn over)

1 (a)(ii)

State TWO disadvantages of this method of control. [2 marks]

Disadvantage 1

Disadvantage 2

(Turn over)

1 (b) The whitefly (*Trialeurodes vaporariorum*) is a pest which damages greenhouse crops such as tomatoes. Whitefly numbers can be reduced by using the biological control agent *Encarsia formosa*.

Encarsia formosa FACT FILE

- ***E. formosa* is a tiny wasp that lays eggs inside developing whitefly.**
- **When the eggs hatch, the young wasps kill the developing whitefly from the inside.**
- **Optimal conditions for *E. formosa* are temperatures over 20 °C.**
- **When daytime temperatures are less than 17 °C, *E. formosa* activity is significantly reduced, making it less effective.**

(Turn over)

1 (b) (continued)

GRAPH 1.1 shows the number of whiteflies in a greenhouse containing tomato plants. **E. formosa** were introduced on day 7.

(i) I. The use of E. formosa to reduce the number of whiteflies is considered to be successful when there are 20 or fewer whiteflies per plant. Use GRAPH 1.1 to determine how many days it took for the number of whiteflies to fall to 20 following the introduction of E. formosa. [2 marks]

days

(Turn over)

1 (b)(i) II.

Suggest a reason why it took this long for the number to fall to 20.

[1 mark]

(Turn over)

1 (b)(ii)

Suggest ONE reason why this method of pest control would not be effective to use if whiteflies damaged wheat crops grown in Wales. [1 mark]

(Turn over)

1 (b)(iii)

An alternative approach to reducing pest numbers is to use pesticide. State why it is not appropriate to use pesticide along with *E. formosa*. [1 mark]

9

(Turn over)

THIS IS A BLANK PAGE

TURN OVER



A long-haired cat



A short-haired cat

2 Hair length in cats is controlled by a pair of alleles. The allele for short hair (H) is dominant to the allele for long hair (h).

(a) State what is meant by the terms:

(i) allele; [1 mark]

2 (a)(ii)

dominant; [1 mark]

(iii) recessive. [1 mark]

(Turn over)

THIS IS A BLANK PAGE

TURN OVER

Gametes		

2 (b)(i)

A cat breeder crossed a homozygous short-haired cat with a long-haired cat. COMPLETE THE PUNNETT SQUARE opposite to show the predicted genotypes of the offspring. Use the letters H and h for the alleles. [2 marks]

(ii) State the phenotype of the offspring in the F1 generation. [1 mark]

(Turn over)

THIS IS A BLANK PAGE

TURN OVER

Gametes		

2 (b)(iii)

COMPLETE THE PUNNETT SQUARE opposite to show the possible genotypes of the offspring if two of the F1 offspring from (b)(i) were crossed. [2 marks]

(iv) Using the results from (b)(iii), state how many kittens would be predicted to be short-haired in a litter of 8 kittens. [1 mark]

(Turn over)

2 (b)(v)

The cat breeder wanted to determine whether one of the short-haired cats was homozygous or heterozygous. She decided to breed the short-haired cat with a long-haired cat. Predict the phenotypes of the offspring you would expect if the short-haired cat was:

I. Homozygous [1 mark]

II. Heterozygous [1 mark]

THIS IS A BLANK PAGE

TURN OVER



The common limpet

3 The common limpet (*Patella vulgata*) is found attached to rocks on most rocky shores in Wales. Limpets attach firmly to the rocks using a muscular foot. They also rotate their shell and grind it into rock to seal it into the rock. Limpets vary in height and width.

A survey was carried out to investigate the variation in the size of limpet shells on upper and lower shores in Cemlyn Bay, Anglesey in North Wales. The height and width of each shell were measured to the nearest mm as shown in IMAGE 3.1.

These measurements were used to calculate the height : width ratio.

$$\text{Ratio} = \frac{\text{height}}{\text{width}} : 1$$

(Turn over)

3 (a)(i)

State what is meant by the term variation. [2 marks]

(ii) State the type of variation shown in the size of the limpets. [1 mark]

(Turn over)

3 (b)(i)

Use the data in TABLE 3.2 to calculate the mean shell height : width ratio for limpets sampled on the lower shore. WRITE YOUR ANSWER IN TABLE 3.2. [2 marks]

Space for working

(Turn over)

3 (b)(ii)

State the conclusion that can be made about the height to width ratios of limpets and their position on the shore. Suggest a reason for this.

[2 marks]

(Turn over)

3 (b)(iii)

**State how the students could increase confidence in their results.
[1 mark]**

8

4 IMAGE 4.1 shows a reflex arc.

(a)(i) Identify A–D on IMAGE 4.1. [4 marks]

A _____

B _____

C _____

D _____

(ii) State TWO properties of reflex actions. [1 mark]

(Turn over)

4 (a)(iii)

The length of neurone B is 0.9 m. An electrical impulse can travel along a neurone at 75 m/s.

Use the following equation:

$$\text{Speed} = \frac{\text{distance}}{\text{time}}$$

to calculate the time taken for the impulse to travel the length of neurone B. [2 marks]

Time = _____ s

(Turn over)

4 (b) Motor neurone disease prevents motor neurones functioning effectively.

Explain why individuals with the disease find it difficult to walk.

[2 marks]

9

THIS IS A BLANK PAGE

TURN OVER



Yellow crazy ants

5 The yellow crazy ant (*Anoplolepis gracilipes*) was introduced accidentally to northern Australia. Due to the ecological damage it has caused, it is on a list of “one hundred of the world’s worst invasive species” produced by the International Union for Conservation of Nature (IUCN). The ants build super-colonies that disrupt native habitats.

(a)(i) State what is meant by the term invasive species. [1 mark]

(Turn over)

5 (a)(ii)

State the genus of the yellow crazy ant. [1 mark]

(iii) Explain how the formation of super-colonies affects biodiversity. [1 mark]

(Turn over)

5 (b) Female ants have a chromosome number of 34 and produce gametes through the process of meiosis.

**(i) State how many gametes are produced from each mother cell.
[1 mark]**

**(ii) Males develop from female eggs which have not been fertilised. Conclude the chromosome number in males and explain your answer.
[2 marks]**

(Turn over)

5 (b)(iii)

State ONE function of mitosis in adult ants. [1 mark]

7

(Turn over)

- 6 Environmental health officers estimated the number of bacteria in a milk sample from a cafe. The limit for the total number of bacteria in a sample of milk which is considered to be safe for human consumption is 1.0×10^5 bacteria per cm^3 .**
- **Using aseptic techniques, they diluted the sample by a factor of 10 000.**
 - **They plated 1 cm^3 of the diluted sample onto nutrient agar.**
 - **The lid of the plate was secured with tape.**
 - **The plate was incubated at 37°C for 2 days.**
 - **The result is shown in IMAGE 6.1.**

(Turn over)

6 (a)(i)

State the assumption that must be made when calculating the number of bacterial cells present in the original sample. [1 mark]

(Turn over)

6 (a)(ii) I.

Calculate the number of bacteria in 1 cm³ of the original sample taken by the environmental health officers. WRITE YOUR ANSWER IN STANDARD FORM. [3 marks]

Number of bacteria = _____

II. Conclude whether the milk sample was safe for human consumption. Explain your answer. [1 mark]

(Turn over)

6 (b) Suggest why the plates were incubated at 37 °C. [1 mark]

(c)(i) State why the lids of the agar plates were secured with tape. [1 mark]

(Turn over)

6 (c)(ii)

State TWO other precautions that should have been taken to ensure aseptic technique. [2 marks]

9

(Turn over)

7 IMAGE 7.1 shows the structure of a nephron.

(a) USE A LABELLED LINE to show the position of structure X (shown in IMAGE 7.1) in the section through the kidney in IMAGE 7.2. [1 mark]

**7 (b) The filtrate found at X in IMAGE 7.1 differs from the filtrate found at Y in IMAGE 7.1. Describe and explain the composition of the filtrate at X and Y, identifying structures X and Y in your answer.
(No reference to ADH is required)
[6 marks QER]**

continue on next page

(Turn over)

**7 (c) Protein is found in the blood in the capillary knot but is not found in the filtrate at X.
Explain this observation. [2 marks]**

9

(Turn over)

8 There are many different types of cancer. One of the most common is breast cancer. In approximately 30% of breast cancers a high level of HER2 protein is present, this is due to a mutation in the HER2 gene. The high level of HER2 protein found on the surface of the cells causes them to grow and divide excessively.

(a) State what is meant by the term mutation. [1 mark]

8 (b)(i)

In Wales, approximately 2 900 people are diagnosed with breast cancer each year. Calculate how many of those diagnosed would be expected to have a high level of HER2 protein present. [2 marks]

Number of people = _____

(Turn over)

8 (b)(ii)

**Explain how the HER2 gene codes for the production of HER2 protein.
[3 marks]**

continue on next page

(Turn over)

(Turn over)

8 (c) Since 1985, approximately 100 different monoclonal antibodies have been developed and some are used in the treatment of breast cancer linked to the mutated HER2 gene. During chemotherapy a drug is attached to the monoclonal antibody to target these cancer cells directly.

Explain how the monoclonal antibody targets these cancer cells directly. [3 marks]

8 (d) State TWO other uses of monoclonal antibodies. [2 marks]

11

(Turn over)

9 IMAGE 9.1 shows a section through human skin.

(a) On IMAGE 9.1, DRAW LABELLED ARROWS TO NAME AND IDENTIFY:

(i) the structure where sweat is produced; [1 mark]

(ii) a structure which transports blood. [1 mark]

(Turn over)

9 (continued)

Gareth carried out an experiment to investigate homeostasis. He sat in a room heated to 50°C. His internal body temperature, rate of sweating and skin temperature were monitored.

After 10 minutes in the room, he drank a glass of ice-cold water. The results are shown in GRAPH 9.2.

- (b) Explain the effect that drinking the ice-cold water had on Gareth between 10 minutes and 30 minutes, as shown on GRAPH 9.2. [5 marks]**

continue on next page

(Turn over)

7

END OF PAPER

(Turn over)

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

Question number	Additional page, if required. Write the question numbers in the left-hand margin.

3400UB0-1

TUESDAY, 17 MAY 2022 – MORNING

BIOLOGY – Unit 2:
Variation, Homeostasis and
Micro-organisms

HIGHER TIER

**The Diagram Booklet MUST be handed in
to the invigilators and sent for marking.**

Diagram Booklet


Surname _____

First name(s) _____

Centre Number _____

Candidate Number 0 _____

GRAPH 1.1





Time (days)

Number of whitefly per plant

THIS IS A BLANK PAGE

TURN OVER

IMAGE 3.1



Width

TABLE 3.2

Limpet number	Limpet shell height : weight ratio	
	Upper shore	Lower shore
1	1.35 : 1	0.38 : 1
2	1.53 : 1	0.36 : 1
3	1.47 : 1	0.41 : 1
4	1.80 : 1	0.28 : 1
5	3.11 : 1	0.44 : 1
6	3.00 : 1	0.57 : 1
7	2.56 : 1	0.58 : 1
8	2.45 : 1	0.37 : 1
9	2.00 : 1	0.27 : 1
10	2.42 : 1	0.30 : 1
Mean	2.17 : 1	_____ : 1

IMAGE 4.1





IMAGE 6.1

nutrient agar

one colony



THIS IS A BLANK PAGE

TURN OVER

IMAGE 7.1






IMAGE 7.2



THIS IS A BLANK PAGE

TURN OVER

IMAGE 9.1



Key:



Internal body temperature



Rate of sweating



Skin temperature

