



Surname _____

Forename(s) _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

I declare this is my own work.

GCSE

COMBINED SCIENCE: TRILOGY

F

Foundation Tier

Physics Paper 2F

8464/P/2F

Friday 14 June 2024

Afternoon

Time allowed: 1 hour 15 minutes

At the top of the page, write your surname and forename(s), your centre number, your candidate number and add your signature.

[Turn over]



J U N 2 4 8 4 6 4 P 2 F 0 1

MATERIALS

For this paper you must have:

- **a protractor**
- **a ruler**
- **a scientific calculator**
- **the Physics Equations Sheet (enclosed).**

INSTRUCTIONS

- **Use black ink or black ball-point pen.**
- **Pencil should only be used for drawing.**
- **Answer ALL questions in the spaces provided.**
- **If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**
- **In all calculations, show clearly how you work out your answer.**



INFORMATION

- **The maximum mark for this paper is 70.**
- **The marks for questions are shown in brackets.**
- **You are expected to use a calculator where appropriate.**
- **You are reminded of the need for good English and clear presentation in your answers.**

DO NOT TURN OVER UNTIL TOLD TO DO SO



01

FIGURE 1 shows a skydiver jumping from an aeroplane. The skydiver is accelerating downwards.

FIGURE 1



01.1

Which force causes the skydiver to accelerate?
[1 mark]

Tick (✓) ONE box.

Electromagnetic force

Gravitational force

Magnetic force

01.2

Which force increases as the skydiver accelerates?
[1 mark]

Tick (✓) ONE box.

Air resistance

Normal contact force


Tension

[Turn over]



FIGURE 2 shows the two forces acting on the skydiver a few seconds after jumping from the aeroplane.

FIGURE 2



0 1 . 3

Calculate the resultant force acting on the skydiver in FIGURE 2. [1 mark]

Resultant force = _____ N

0 1 . 4

Eventually the skydiver stops accelerating and falls at a constant velocity.

What is the resultant force acting on the skydiver when falling at a constant velocity? [1 mark]

Tick (✓) ONE box.

0 N

150 N

600 N

[Turn over]



0 1 . 5

What name is given to the constant velocity of the skydiver? [1 mark]

Tick (✓) ONE box.

Average velocity

Initial velocity

Terminal velocity



BLANK PAGE


[Turn over]



FIGURE 3 shows a velocity–time graph for the skydiver.

FIGURE 3

Velocity
in metres
per second



0	1	.	6
---	---	---	---

How many seconds did the skydiver accelerate for?

Use FIGURE 3. [1 mark]

_____ s

0	1	.	7
---	---	---	---

What was the constant velocity of the skydiver?

Use FIGURE 3. [1 mark]

_____ m/s

[Turn over]



0	1	.	8
---	---	---	---

After opening a parachute, the skydiver fell at a constant speed of 3.6 m/s for 25 seconds.

Calculate the distance travelled by the skydiver during this time.

Use the equation:

distance travelled = speed \times time

[2 marks]

Distance travelled = _____ m

9



BLANK PAGE


[Turn over]



02

FIGURE 4 shows a person using a newtonmeter to measure the weight of a suitcase.

FIGURE 4



There is a pair of forces acting between the suitcase and the newtonmeter.

0 2 . 1

How does the force on the suitcase compare with the force on the newtonmeter? [1 mark]

Tick (✓) ONE box.

The force on the suitcase is smaller.

The forces are the same size.

The force on the suitcase is bigger.

[Turn over]



02.2

Which sentence describes the directions in which the pair of forces act? [1 mark]

Tick (✓) ONE box.

They act in opposite directions.

They act in the same direction.

They act in perpendicular directions.

02.3

What is the weight of the suitcase shown on the newtonmeter in FIGURE 4, on page 14? [1 mark]

Weight = _____ N



02.4

Calculate the mass of the suitcase.

gravitational field strength = 9.8 N/kg

Use your answer from Question 02.3 and the equation:

$$\text{mass} = \frac{\text{weight}}{\text{gravitational field strength}}$$

[2 marks]

Mass = _____ kg

[Turn over]




02.5

The suitcase is loaded into an aeroplane. The aeroplane takes off and its height above the ground increases. The aeroplane then flies at a constant height.

FIGURE 5 shows how the gravitational field strength in the aeroplane varies for the first 25 minutes of the flight.

FIGURE 5

Gravitational
field strength



03

FIGURE 6 shows an electronic whistle used by a referee in a football match.

FIGURE 6



When the button is pressed the whistle emits sound waves that travel through the air.

03.1

What is transferred by the sound waves as they travel through the air? [1 mark]

Tick (✓) ONE box.

Energy

Mass

Temperature

[Turn over]



0	3	.	2
---	---	---	---

What is a typical value for the speed of sound in air?
[1 mark]

Tick (✓) ONE box.

33 m/s

330 m/s

3300 m/s

33 000 m/s



BLANK PAGE

[Turn over]




The whistle can emit two different sound waves, A and B.

FIGURE 7 shows the two different sound waves as displayed on a screen.


The sound waves are drawn to the same scale.

FIGURE 7

WAVE A



WAVE B



0	3	.	3
---	---	---	---

Complete the sentences to describe a difference and a similarity between the two waves.

Choose answers from the list. [2 marks]

- amplitude
- frequency
- wavelength
- period

DIFFERENCE

Wave A has a greater _____ than wave B.

SIMILARITY

Wave A has the same _____ as wave B.

[Turn over]



03.4

Wave A has a frequency of 4.0 kHz.

**Which of the following is the same as 4.0 kHz?
[1 mark]**

Tick (✓) ONE box.

4.0 Hz

4000 Hz

4 000 000 Hz

4 000 000 000 Hz



03.5

Calculate the period of wave A.

Use your answer from Question 03.4 and the equation:

$$\text{period} = \frac{1}{\text{frequency}}$$

[2 marks]

Period = _____ s

[Turn over]



03.6

Sound waves in air are longitudinal waves.

Complete the sentence to describe a sound wave.

Choose answers from the list. [2 marks]

- compression
- deflection
- diffraction
- rarefaction
- reflection

When sound waves travel through air they create areas of _____ and _____.

9



BLANK PAGE

[Turn over]




04

FIGURE 8 shows a permanent magnet and two magnetic compasses.

The poles of the magnet are labelled X and Y.

FIGURE 8



04.1

The direction of the compass needle in compass A is shown.

Give the names of the poles labelled X and Y in FIGURE 8. [2 marks]

X _____

Y _____



0	4	.	2
---	---	---	---

Draw an arrow on compass B in FIGURE 8, on the opposite page, to show the direction of the magnetic field at that position. [1 mark]

[Turn over]



FIGURE 9 shows security tags on some clothes in a shop.

Security tags can be detected if clothes are taken out of the shop with tags still attached.

FIGURE 9



The tags are attached to the clothes by pins made from a magnetic material.

A shop assistant can use a magnet to remove the pins.

0 4 . 3

Which of the following are magnetic materials?
[2 marks]

Tick (✓) TWO boxes.

Aluminium

Copper

Iron

Lead

Nickel

Tin

[Turn over]



04.4

Which of the following describes the force between a magnetic material and a magnet? [1 mark]

Tick (✓) ONE box.

The force is always attractive.

The force is always repulsive.

The force can be either attractive or repulsive.



0	4	.	5
---	---	---	---

The shop assistant removes a security tag and drops the tag into a collecting bin.

As it falls, the tag accelerates at 9.8 m/s^2 .

The mass of the tag is 0.030 kg .

Calculate the resultant force acting on the tag.

Use the equation:

resultant force = mass \times acceleration

[2 marks]

Resultant force = _____ N

[Turn over]

8



0	5
---	---

The stopping distance of a car depends on the thinking distance and the braking distance.

0	5	.	1
---	---	---	---

Which of the following affects the thinking distance?
[1 mark]

Tick (✓) ONE box.

Condition of the brakes

Icy road conditions

Reaction time of the driver



A car manufacturer tested three different types of tyre which were fitted to three identical cars.

This is the method used.

1. Drive the car along a road.
2. Apply the brakes until the car stops.
3. Measure the distance travelled while braking.
4. Repeat steps 1 to 3 for each car when the road is dry and when the road is wet.

05.2

The brakes were applied with the same force for each test.

Give ONE OTHER variable that should have been kept the same for each test. [1 mark]


[Turn over]



FIGURE 10 shows the results.

FIGURE 10

Braking
distance
in metres



Type of tyre

Key

■ Dry road

□ Wet road



When the brakes are applied, a force does work to stop the car.

Use the Physics Equations Sheet to answer questions 05.4 and 05.5.

05.4

Write down the equation that links distance (s), force (F) and work done (W). [1 mark]

[Turn over]



0	5	.	5
---	---	---	---

The braking force acting on a car is 6000 N.

The work done to stop the car is 300 000 J.

Calculate the braking distance of the car. [3 marks]

Braking distance = _____ m



0	5	.	6
---	---	---	---

Explain how the force applied by the brakes affects the braking distance of the car. [2 marks]

[Turn over]

14




06

A teacher demonstrated how the frequency of a wave on a string affects the wavelength of the wave.

FIGURE 11 shows the equipment used.

FIGURE 11



The frequency of the signal generator is adjusted so that the wave shown in FIGURE 11 is seen.

At this frequency the string vibrates between the two positions shown in FIGURE 11.



Use the Physics Equations Sheet to answer questions 06.2 and 06.3.

06.2

Which equation links frequency (f), wavelength (λ) and wave speed (v)? [1 mark]

Tick (✓) ONE box.

$$f = \lambda \times v$$

$$\lambda = f \times v$$

$$v = f \times \lambda$$



0	6	.	3
---	---	---	---

The wave on the string has a frequency of 45.0 Hz.

The wave speed is 35.1 m/s.

Calculate the wavelength of the wave. [3 marks]

Wavelength = _____ m

[Turn over]

8



07

FIGURE 12 shows an Olympic gymnast performing a floor routine.

FIGURE 12



The floor contains springs.

When the gymnast lands on the floor, a force compresses the springs in the floor.



0	7	.	1
---	---	---	---

When a spring is compressed, the elastic potential energy of the spring increases.

Explain why compressing the springs in the floor helps the gymnast to jump higher.

Use ideas about energy in your answer. [2 marks]

[Turn over]



0	7	.	2
---	---	---	---

When the gymnast lands on the floor, one of the springs compresses by 1.2 cm.

spring constant = 8500 N/m

Calculate the elastic potential energy stored in the spring.

Use the Physics Equations Sheet.

Give the unit. [4 marks]

Elastic potential energy = _____

Unit _____



BLANK PAGE

[Turn over]




A student investigated a spring with a different spring constant.

When masses are placed on the spring it compresses.

The student measured the compression of the spring for different masses.

FIGURE 13 shows some of the equipment used.

FIGURE 13



0	7	.	3
---	---	---	---

Describe how the compression of the spring could be determined. [2 marks]

[Turn over]



0	7	.	4
---	---	---	---

Explain why the investigation should be done on the laboratory floor rather than on a table. [2 marks]



BLANK PAGE


[Turn over]



FIGURE 14 shows the results.

FIGURE 14

Force in
newtons



The spring constant is the gradient of the line of best fit shown on FIGURE 14.

.

Determine the value Δy on FIGURE 14. [1 mark]

$\Delta y =$ _____ N

.

Determine the value Δx on FIGURE 14. [1 mark]

$\Delta x =$ _____ m

[Turn over]



BLANK PAGE



0	7	.	7
---	---	---	---

Determine the spring constant of the spring.

Use your answers to Question 07.5 and Question 07.6, on page 57.

Give your answer to 3 significant figures. [2 marks]

Spring constant (3 significant figures) =

_____ N/m

END OF QUESTIONS

14



BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2024 AQA and its licensors. All rights reserved.

WP/M/NC/Jun24/8464P/2F/G4005/V4

