



Surname _____

Forename(s) _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

I declare this is my own work.

**A-level
PHYSICS**

**Paper 3
Section A**

7408/3A

Monday 17 June 2024 Morning

Time allowed: The total time for both sections of this paper is 2 hours. You are advised to spend approximately 70 minutes on this section.

[Turn over]



BLANK PAGE



On the front of this book, write your surname and forename(s), your centre number, your candidate number and add your signature.

MATERIALS

For this paper you must have:

- **a pencil and a ruler**
- **a scientific calculator**
- **a Data and Formulae Booklet**
- **a protractor.**

[Turn over]



INSTRUCTIONS

- **Use black ink or black ball-point pen.**
- **Answer ALL questions.**
- **You must answer the questions in the spaces provided. Do not write on blank pages.**
- **If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**
- **Show all your working.**



INFORMATION

- **The marks for questions are shown in brackets.**
- **The maximum mark for this paper is 45.**
- **You are expected to use a scientific calculator where appropriate.**
- **A Data and Formulae Booklet is provided as a loose insert.**

DO NOT TURN OVER UNTIL TOLD TO DO SO



SECTION A

Answer ALL questions in this section.

0	1
----------	----------

This question is based on a method to determine the resistivity of a wire (required practical activity 5).

FIGURE 1, on the opposite page, shows a micrometer screw gauge.



FIGURE 1

FIGURE 2, on page 8, shows an enlarged view of the scales.

[Turn over]

FIGURE 2



0 1 . 1

State, in mm, the resolution of the main scale. [1 mark]

resolution = _____ mm

0 1 . 2

**What is the reading on the micrometer?
[1 mark]**

Tick (✓) ONE box.

☐

6.22 mm

☐

6.72 mm

☐

6.78 mm

☐

8.22 mm

[Turn over]



0	1	.	3
---	---	---	---

A wire X is placed in the gap between the anvil and the spindle.

State and explain how this gap is closed just before taking a reading of the diameter of X. [1 mark]


BLANK PAGE

[Turn over]



FIGURE 3 shows a circuit used to determine the resistance per metre of wire X.

FIGURE 3



Two terminals are used to mount X on a ruler.


Clips are used to connect a voltmeter across the $1.2\ \Omega$ resistor.

When the switch is closed, the voltmeter reading is 931 mV.

The switch is then opened and the voltmeter is connected to X as shown in FIGURE 4, on page 14.

[Turn over]



FIGURE 4

0	1	.	4
---	---	---	---

When the switch is closed, the voltmeter reading is 397 mV.

Show that, for the arrangement in FIGURE 4, the resistance R of the wire between the clips is about $0.5 \, \Omega$.

[2 marks]



[Turn over]



The length of wire between the clips is L .

Values of R are determined for different values of L .

FIGURE 5, on the opposite page, shows these data.

0	1
---	---

.

5

Determine the resistance per metre of X.
[2 marks]

resistance per metre =

$\Omega \text{ m}^{-1}$



FIGURE 5

 R / Ω

0.70

0.65

0.60

0.55

0.50

0.45

0.40

0.35

0.30

150

200

250

300

350

400

 L / mm 

1 7

[Turn over]



01.6

TABLE 1, on page 20, shows the resistance per metre of various metal wires.

The diameter of X is one of the values of d shown in TABLE 1.



1 9

BLANK PAGE

[Turn over]



TABLE 1

RESISTANCE PER METRE OF WIRE / $\Omega \text{ m}^{-1}$				
d / mm	COPPER	TUNGSTEN	ALUMEL	NICHROME
0.38	0.151	0.504	3.15	9.73
0.93	0.0247	0.0824	0.515	1.59
1.63	0.00805	0.0268	0.168	0.518
2.08	0.00494	0.0165	0.103	0.318
3.66	0.00160	0.00532	0.0333	0.103



Identify the metal used for X.

Go on to determine the resistivity of the metal.

State an appropriate SI unit for your answer. [4 marks]

metal used for X = _____

resistivity = _____ SI unit = _____

[Turn over]

0	1	.	7
---	---	---	---

A student adds error bars for R and L to each point on FIGURE 5, on page 17.

She estimates that

- each value of R has a percentage uncertainty of 6%**
- each value of L has an absolute uncertainty of 5 mm.**

Compare her error bars for the point at $L = 209$ mm with her error bars for the point at $L = 388$ mm. [2 marks]



[Turn over]



0 1 . 8

Outline how error bars are used to determine the uncertainty in the gradient of a linear graph. [2 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

BLANK PAGE


[Turn over]



02

FIGURE 6 shows apparatus used to investigate how the resistance R of a light-dependent resistor (LDR) varies with illumination.

FIGURE 6



The ohm-meter

- **ALWAYS** displays a four-digit reading of R
- can be set to the different ranges A to E shown in TABLE 2, on page 28.

[Turn over]



TABLE 2

SETTING	Maximum reading displayed	Minimum (non-zero) reading displayed	Unit
range A	199.9	000.1	Ω
range B	1999	0001	Ω
range C	19.99	00.01	$k\Omega$
range D	199.9	000.1	$k\Omega$
range E	1.999	0.001	$M\Omega$



0	2	.	1
---	---	---	---

Explain why the reading displayed in FIGURE 6, on page 26, shows that the ohm-meter is set to range C. [1 mark]

[Turn over]

0	2	.	2
---	---	---	---

The quantity E_V is a measure of the intensity of the light incident on the LDR. The SI unit of E_V is the lux (lx).

The resistance R of the LDR is given by

$$\log(R / \Omega) = -0.772 \log(E_V / \text{lx}) + 5.09$$

Show that E_V for the arrangement shown in FIGURE 6, on page 26, is about 130 lx.

[2 marks]




R is recorded for different values of the vertical distance x between the lamp and the LDR.

E_V is calculated for each value of R .

FIGURE 7, on page 32, shows how E_V varies with x .

[Turn over]



FIGURE 7 E_V / lx 

It can be shown that $E_V \propto \frac{1}{x^2}$



0 2 . 3

Describe a method to show that FIGURE 7 confirms this relationship.

You do not need to show any calculations. [2 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over]



0	2	.	4
---	---	---	---

Deduce the value of x when $E_V = 130 \text{ lx}$.

[2 marks]

$x =$ _____ **mm**



BLANK PAGE

[Turn over]





0	2	.	5
---	---	---	---

R is measured when $x = 450$ mm.

FIGURE 8 shows how the ohm-meter displays the values of R when set to range B and when set to range C.

FIGURE 8



The uncertainty of the reading on the ohm-meter is $\pm 2\%$ of the displayed reading plus ± 2 in the least significant digit.

This means that:

- **using range B the MAXIMUM value of R is $1.02 \times 1681 + 2 = 1717 \, \Omega$**
- **using range C the MINIMUM value of R is $0.98 \times 1.68 - 0.02 = 1.63 \, \text{k}\Omega$.**

[Turn over]



Complete TABLE 3.
Go on to explain whether range B or
range C should be used to measure R .
[2 marks]

TABLE 3


SETTING	MINIMUM R	MAXIMUM R
range B	_____ Ω	1717 Ω
range C	1.63 k Ω	_____ kΩ

[Turn over]



FIGURE 9 shows the LDR being used to investigate the transmission of light through glass slides.

FIGURE 9



The lamp and ohm-meter are switched on.

R is recorded with different numbers of slides placed on the LDR.

E_V is calculated for each value of R .

0 2 . 6

The positions of the lamp and the LDR are not changed during the experiment.

Identify TWO other control variables.

[2 marks]

1 _____

2 _____

[Turn over]



0	2	.	7
---	---	---	---

For the arrangement in FIGURE 9, on page 40, it can be shown that

$$E_V = 400 e^{-\mu N}$$

where

N is the number of slides

μ is a constant.

Explain how μ can be determined from a linear graph. [2 marks]

[Turn over]



0	2	.	8
---	---	---	---

In an experiment $\mu = 9.0 \times 10^{-2}$

Deduce the minimum number of slides needed to reduce E_V by 50%. [2 marks]

number of slides = _____



BLANK PAGE

[Turn over]




0	3
---	---

This question is about a method to investigate how the force on a conductor varies with flux density and current (required practical activity 10).

FIGURE 10 shows a copper rod clamped above a horizontal bench.

FIGURE 10



0	3	.	1
---	---	---	---

Describe a method to show that the copper rod is horizontal.

Your method must include the use of a metre ruler.

You may annotate FIGURE 10. [3 marks]

[Turn over]





FIGURE 11, on page 50, shows the copper rod positioned above a digital balance.

Two identical magnets are mounted on a steel yoke with their opposite poles facing each other.


The balance is zeroed.

The yoke is then placed on the balance so that a horizontal uniform magnetic field is applied perpendicular to the copper rod.

The ends of the rod are connected as shown.

[Turn over]

FIGURE 11



0	3	.	2
---	---	---	---

When the switch is open, the reading on the balance shows the mass of the yoke and the two magnets.

When the switch is closed, the reading on the balance decreases.

**Explain, with reference to FIGURE 11, the direction of the horizontal magnetic field.
[3 marks]**

[Turn over]





The current I in the rod is varied. The balance reading M_1 is recorded for different values of I .



The switch is now opened. Two additional magnets, identical to those used before, are attached to the yoke.

52

FIGURE 12, on the opposite page, shows how this new arrangement compares with the arrangement in FIGURE 11, on page 50.



FIGURE 12



**use of two magnets
for the arrangement
in FIGURE 11**

**new arrangement
using four magnets**

[Turn over]



The balance reading with four magnets attached to the yoke is M_2 .

With the switch open, M_2 is the mass of the yoke and the four magnets.

The switch is now closed.

M_2 is recorded for different values of I .

54

FIGURE 13, on page 56, shows data from both experiments.


Values of M_1 and M_2 are plotted using different vertical axes.



BLANK PAGE

[Turn over]

FIGURE 13



The solid line — shows the variation of M_1 with I

The dashed line ---- shows the variation of M_2 with I

It can be shown that

$$M = kBI + nZ + Y$$

where

M = balance reading when the current is I

B = magnetic flux density of the horizontal uniform magnetic field

n = number of magnets attached to the yoke

Z = mass, in g, of each magnet

Y = mass, in g, of the yoke

k is a constant.

[Turn over]



0	3	.	3
---	---	---	---

Deduce the fundamental base units for k .
[3 marks]

fundamental base units =



0	3	.	4
---	---	---	---

Determine Y . [3 marks]

$Y =$ _____ g

[Turn over]




0	3	.	5
---	---	---	---

A student sets up the apparatus with the copper rod positioned incorrectly.

FIGURE 14 shows how the student's arrangement compares with the correct arrangement.


FIGURE 14

copper rod



**student's
arrangement**

copper rod



**correct
arrangement**

The student produces a graph of M_1 against I .

Compare the student's graph with the graph of M_1 against I (the solid line) in FIGURE 13, on page 56.

Explain your answer. [3 marks]

[Turn over]



END OF QUESTIONS

15



Additional page, if required.

Write the question numbers in the left-hand margin.

[illegible]

Additional page, if required.

Write the question numbers in the left-hand margin.

This image shows a blank sheet of white paper with horizontal ruling lines. A single vertical line runs down the left side, creating a margin. There are 20 horizontal lines in total, evenly spaced across the page. The lines are thin and black.

Additional page, if required.
Write the question numbers in the left-hand margin.

BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
TOTAL	

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2024 AQA and its licensors. All rights reserved.

WP/M/SB/Jun24/7408/3A/G4005/V6

